

FIG. 1 is a perspective view of a container assembly 10, including a container 12 and a lid 14. The container 12 includes a front wall 16, a rear wall 18, and side walls 19. The lid 14 includes a front wall 20, a rear wall 22, and side walls 23. The container 12 and lid 14 are shown in an open position, with the lid 14 hinged to the container 12. The container 12 includes a bottom wall 24 and a top wall 26. The lid 14 includes a bottom wall 28 and a top wall 30. The container 12 and lid 14 are shown in a perspective view, with the front wall 16 and front wall 20 being the most prominent features. The container 12 and lid 14 are shown in a perspective view, with the front wall 16 and front wall 20 being the most prominent features.




FIG. 1







Fig. 3





Catching Mech.
W/p HS 18

Fig 1




Fig. E
Alternative
embodiment
of latch's
Mech.




Fig 4




FIG. 2







Fig. 8












Fig 11





40








Fig. 14











Fig. 17






Fig. 19




Fig. 20







Fig. 22






Fig. 24





Fig. 25



40

201

32

47

738

718

12

38

764

743

712

747

739

745

1212

1210

765

740

735

1206

1200

1208

1204

1214

1202

1216

Fig. 27

FIG. 27 is a perspective view of a door assembly 12, showing a door 1200 and a door frame 1202. The door 1200 includes a handle 1204 and a lock 1206. The door frame 1202 includes a hinge 1208 and a latch 1210. The door 1200 is shown in an open position, and the door frame 1202 is shown in a closed position. The door 1200 is connected to the door frame 1202 by hinges 1208. The handle 1204 is located on the front of the door 1200. The lock 1206 is located on the edge of the door 1200. The latch 1210 is located on the edge of the door frame 1202. The door 1200 is shown in an open position, and the door frame 1202 is shown in a closed position.





Fig. 28







Fig. 31






Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37






Fig. 30








Fig. 41




Fig. 42




Fig. 43

19





Fig. 44



12




Fig. 46










Fig. 47
















5/5/18

4












Fig 57




Fig. 58




Fig. 59




Fig 50





Fig. 61






FIG. 63 is a perspective view of the corner joint assembly of FIG. 62, showing the corner joint assembly in a perspective view.

Fig 63